

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7474	((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L2	5439	((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L3	72	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L4	72	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L5	6770	(((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls. ) and alias\$3 or anti-alias\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L6	8	(((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls. ) and (alias\$3 or anti-alias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L7	899	382/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L8	528	382/299.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L9	269	loce.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L10	6065	382/181,190,209,218,254,256,264,269,282,299.ccls. ~	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59

L11	0	((("5365596" "5367578" "5982945" "6381372" "6389163").pn. ) and ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L12	2203	(variabl\$2 or adapt\$4) near2 template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L13	0	((("5365596" "5367578" "5982945" "6381372" "6389163").pn. ) and ((variabl\$2 or adapt\$4) near2 template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L14	0	((("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376"   "5838334"   "6057855").PN.) and ((variabl\$2 or adapt\$4) near2 template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L15	0	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same ((variabl\$2 or adapt\$5 or chang\$4) near4 (template\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L16	0	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same ((variabl\$2 or adapt\$5 or chang\$4) near8 (template\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L17	7092	(estimat\$3 approxim\$3 rough\$2 preliminary) near4 (overlap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L18	240	((estimat\$3 approxim\$3 rough\$2 preliminary) near4 (overlap\$5)) and ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L19	322	merg\$3 and ((rough\$2 estimat\$3 approxim\$3) near3 (overlap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L20	5518	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59

L21	153	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L22	0	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and (maintain\$3 near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L23	0	allias	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L24	0	(recognition-same ((anti adj alias\$3) or antialias\$3) same (template\$1) with (variable adapt\$4 changeable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L25	0	(line\$1 with width\$1) same ((anti adj alias\$3) or antialias\$3) same (template\$1) with (variable adapt\$4 changeable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L26	1	"6021256" and ((adapt\$4 variabl\$3 chang\$3) near3 template)	USPAT	OR	OFF	2005/04/14 13:59
L27	0	("5742703" "5696845").pn. and ((adapt\$4 loose variabl\$3 chang\$3) near3 template)	USPAT	OR	OFF	2005/04/14 13:59
L28	1836	line near art	USPAT	OR	OFF	2005/04/14 13:59
L29	0	"20020076107".pn.	USPAT	OR	OFF	2005/04/14 13:59
L30	448	process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L31	34	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and template	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L32	25	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and templates	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L33	1336	((anti adj alias\$3) antialias\$3) with image\$1	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L34	1224	345/611-616.ccls. 382/266,269.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L35	226	((((anti adj alias\$3) antialias\$3) with image\$1) and (345/611-616.ccls. 382/266,269.ccls.))	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59

L36	1302	(lpf or lp or lowpas\$4 or (low adj pas\$4)) near4 ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L37	2717	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3))	USPAT	OR	OFF	2005/04/14 13:59
L38	0	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 ((anti adj alias\$3) or antialias\$3)	USPAT	OR	OFF	2005/04/14 13:59
L39	0	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) same((anti adj alias\$3) or antialias\$3)	USPAT	OR	OFF	2005/04/14 13:59
L40	13	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 ((anti adj alias\$3) or antialias\$3 or lp or lpf or gauss\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	USPAT	OR	OFF	2005/04/14 13:59
L41	706	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gauss\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	USPAT	OR	OFF	2005/04/14 13:59
L42	1134	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gauss\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L43	541	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gauss\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 )	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L44	84	(gray adj edge\$1) or gray-edge\$1	USPAT	OR	OFF	2005/04/14 13:59
L45	544	contone	USPAT	OR	OFF	2005/04/14 13:59

L46	0	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) same ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L47	0	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) same ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L48	6	382/209.ccls. and 382/299.ccls.	USPAT	OR	OFF	2005/04/14 13:59
L49	19	382/209.ccls. and ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L50	176	loce.in. and robert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L51	37	(loce.in. and robert) and ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L52	1	"5226175".PN.	USPAT	OR	OFF	2005/04/14 13:59
L53	23	("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.	USPAT	OR	OFF	2005/04/14 13:59
L54	2	process\$3 near4 ((anti adj alias\$3) or antialias\$3) near7 template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59

L55	144	382/181,190,209,218,254,256,264, 269,282,299.ccls. and ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L56	2	"6686922".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L57	10	("5365596" "5367578" "5982945" "6381372" "6389163").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L58	9	(convert\$3 near2 resolution\$1)--- same (control\$4 near2 width\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L59	4	roger near william near call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L60	10	("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376"   "5838334"   "6057855").PN.	USPAT	OR	OFF	2005/04/14 13:59
L61	13	((("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376"   "5838334"   "6057855").PN.) and ((anti adj alias\$3) or antialias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L62	59	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L63	1	"5226175".PN.	USPAT	OR	OFF	2005/04/14 13:59
L64	23	("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.	USPAT	OR	OFF	2005/04/14 13:59

L65	57	((estimat\$3 approxim\$3 rough\$2 preliminary) near4 (overlap\$5)) same ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L66	28	((estimat\$3 approxim\$3 rough\$2 preliminary) near4 (overlap\$5)) and ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))) and merg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L67	2	((general) near4 (overlap\$5)) same (exact\$3 near4 (overlap\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L68	82	merg\$3 and ((rough\$2 estimat\$3 approxim\$3) near (overlap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L69	7	merg\$3 and ((rough\$2 estimat\$3 approxim\$3) near (overlap\$4)) and (calculat\$3 near overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L70	1	merg\$3 and ((rough\$2 estimat\$3 approxim\$3) near (overlap\$4)) and (exact near overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L71	17	(merg\$3 combin\$3 blend\$3 stitch\$3) and ((rough\$2 estimat\$3 approxim\$3) near (overlap\$4)) and ((calculat\$3 or exact) near overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L72	40	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and (alias\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L73	3	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and ((control or maintain) near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L74	2	alliated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59

L75	153	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L76	13	("4437122"   "4847641"   "4933689"   "5005139"   "5237646"   "5383036"   "5387985"   "5454371"   "5579445"   "5687297"   "5696845"   "5742703"   "6021256").PN.	USPAT	OR	OFF	2005/04/14 13:59
L77	1	"5226175".PN.	USPAT	OR	OFF	2005/04/14 13:59
L78	23	("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.	USPAT	OR	OFF	2005/04/14 13:59
L79	2	((("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.) and ((adapt\$4 loose variabl\$3 chang\$3) near3 template)	USPAT	OR	OFF	2005/04/14 13:59
L80	50	("5237650" "5444552" "5339092" "5390289" "5392385" "5940080" "5943063" "5969699" "6057855" "6097400" "6144461" "6204856" "4808984" "4827253" "5249263" "5261030" "5264838" "5293579" "5412402" "5422986" "5557297" "5621869" "5646751" "5651104" "5673376" "5701365" "5737455" "5818518" "5872902" "5872729" "5929866" "5999659" "6018350" "6115050" "6137918" "6167166" "6243499" "4586037" "4796020" "4825388" "4843380" "4952876" "4954912" "5201030" "5313228" "5379129" "5493644" "5542032" "5598182" "5666156").pn.	USPAT	OR	OFF	2005/04/14 13:59
L81	6	binary near line near art	USPAT	OR	OFF	2005/04/14 13:59



L82	61	(line near art) and ((anti adj alias\$3) or antialias\$3)	USPAT	OR	OFF	2005/04/14 13:59
L83	1	"5226175".PN.	USPAT	OR	OFF	2005/04/14 13:59
L84	1	"5742703".pn.	USPAT	OR	OFF	2005/04/14 13:59
L85	12	("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376"   "5838334"   "6137918"   "6144461"   "6167166").PN.	USPAT	OR	OFF	2005/04/14 13:59
L86	10	("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376"   "5838334"   "6057855").PN.	USPAT	OR	OFF	2005/04/14 13:59
L87	1	"20020076107".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L88	1	"5365251".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L89	8	("5138339"   "5386509"   "5432898"   "5438656"   "5485289"   "5596684"   "5646751"   "5673376").PN.	USPAT	OR	OFF	2005/04/14 13:59
L90	528	345/611-616.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L91	38	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and template\$1	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L92	1	"6522425".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L93	15	(((((anti adj alias\$3) antialias\$3) with image\$1) and (345/611-616.ccls. 382/266,269.ccls.)) and template\$1	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L94	2	345/611-616.ccls. and ((lpf or lp or lowpas\$4 or (low adj pas\$4)) near4 ((anti adj alias\$3) or antialias\$3))	USPAT	OR	OFF	2005/04/14 13:59
L95	49	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3)	USPAT	OR	OFF	2005/04/14 13:59
L96	2	"5193008".pn. "5134495".pn.	USPAT	OR	OFF	2005/04/14 13:59
L97	10	(345/611-616.ccls. 382/266,269.ccls.) and ((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3))	USPAT	OR	OFF	2005/04/14 13:59

L98	23	("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.	USPAT	OR	OFF	2005/04/14 13:59
L99	42	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and 382/209.ccls.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L100	188	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and "382".clas.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L101	145	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 )) and "382".clas.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L102	4	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 (resolution\$1 or (down adj (sampl\$3 scal\$3)) decimat\$3 downsampl\$3 downscal\$3)	USPAT	OR	OFF	2005/04/14 13:59
L103	70	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) same (resolution\$1 or (down adj (sampl\$3 scal\$3)) decimat\$3 downsampl\$3 downscal\$3)	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L104	41	(anti-alias\$1 (anti adj alias\$3) or antialias\$3) near5 (preprocess\$3 or (process\$3 near (first or before)))	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L105	13	((gray adj edge\$1) or gray-edge\$1) and (template\$1)	USPAT	OR	OFF	2005/04/14 13:59
L106	27	(anti-alias\$3 or (antialias\$3) or contone) and (((adapt\$4 chang\$3 dynamic alter\$3 vary\$3 variabl\$2) near2 (template\$1 or templet)) near5 (match\$3))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59

L107	1	"5859930".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L108	189	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gauss\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and ("382".clas. or 345/611-616.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/04/14 13:59
L109	13	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) and ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L110	92	((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L111	2	"5910805".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L112	2	"6380961".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L113	23	("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.	USPAT	OR	OFF	2005/04/14 13:59

L114	8	((("4437122"   "4544264"   "4646355"   "4791679"   "4847641"   "5005139"   "5079123"   "5134495"   "5193008"   "5237646"   "5265176"   "5282057"   "5329599"   "5365251"   "5365596"   "5367578"   "5387985"   "5579445"   "5696845"   "5742703"   "5982945"   "6381372"   "6389163").PN.) and ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L115	2	"20010038712".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L116	120	(((((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and ((chang\$3 or convert\$3 reduc\$3 lower\$3) near2 resolution)) and (vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L117	224	((((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and ((chang\$3 or convert\$3 reduc\$3 lower\$3) near2 resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L118	2	"6678426".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L119	2	"6678426".pn. and (register adj array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L120	11	(template\$1) same((anti adj alias\$3) or antialias\$3)same resolution	USPAT	OR	OFF	2005/04/14 13:59
L121	1	"6678426".pn.	USPAT	OR	OFF	2005/04/14 13:59
L122	21	(template\$1) and (feature adj vector) same resolution	USPAT	OR	OFF	2005/04/14 13:59
L123	204	nyquist and template\$1	USPAT	OR	OFF	2005/04/14 13:59
L124	131	nyquist and template\$1 and resolution	USPAT	OR	OFF	2005/04/14 13:59

L125	24	nyquist and template\$1 and resolution and ("382".clas. or "345". clas.)	USPAT	OR	OFF	2005/04/14 13:59
L126	15	characteriz\$3 with ((adapt\$4 variabl\$2 vary\$3 dynamic) near2 (template\$1))	USPAT	OR	OFF	2005/04/14 13:59
L127	0	((convert\$ or chang\$3 or reduc\$3) near resolution) with ((adapt\$4 variabl\$2 vary\$3 dynamic) near2 (template\$1))	USPAT	OR	OFF	2005/04/14 13:59
L128	0	((convert\$ or chang\$3 or reduc\$3) near2 resolution) with ((adapt\$4 variabl\$2 vary\$3 dynamic) near2 (template\$1))	USPAT	OR	OFF	2005/04/14 13:59
L129	3	((convert\$ or chang\$3 or reduc\$3) near2 resolution) same ((adapt\$4 variabl\$2 vary\$3 dynamic) near2 (template\$1))	USPAT	OR	OFF	2005/04/14 13:59
L130	3	((convert\$ or chang\$3 or reduc\$3) near2 resolution) same ((adapt\$4 variabl\$2 vary\$3 dynamic) near3 (template\$1))	USPAT	OR	OFF	2005/04/14 13:59
L131	33	((convert\$ or chang\$3 or reduc\$3) near2 resolution) with (template\$1)	USPAT	OR	OFF	2005/04/14 13:59
L132	38	control\$3 near2 growth\$1 near2 (width)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L133	1566	control\$3 near2 (width same line\$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L134	1	382/209.ccls. and (control\$3 near2 (width same line\$1))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L135	236	extract\$3 same (pattern\$1 near2 match\$3) same template\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L136	21	(extract\$3 same (pattern\$1 near2 match\$3) same template\$1 ) and 382/209.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L137	18	(extract\$3 same (pattern\$1 near2 match\$3) same template\$1 ) and (feature near vector)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L138	1	"20010038712".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59
L139	1	"6678426".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/14 13:59

L140	1	"20030152272".pn. and ((merg\$3 combin\$3 blend\$3 stitch\$3) and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4)) and ((calculat\$3 or exact) near overlap\$4) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L141	23807	coarse near2 fine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L142	9	(coarse near2 fine) with (determin\$ or detect\$3 or estimat\$3 or calculat\$3) with (overlap\$4 or (over adj lap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L143	83	(coarse near2 fine) with (overlap\$4 or (over adj lap\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L144	17	(merg\$3 combin\$3 blend\$3 stitch\$3) and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4)) and ((calculat\$3 or exact) near overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L145	1	(approximate near overlap\$3) and (exact near overlap\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L146	2404	(first near overlap\$3) and ((exact or second) near overlap\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L147	2397	(first near overlap\$3) and ((second) near overlap\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L148	77	(first near overlap\$3) and ((second) near overlap\$3) and merg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L149	10	((first near overlap\$3) and ((second) near overlap\$3) and merg\$3) and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59

L150	169	exact adj overlap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L151	3	(exact adj overlap\$4) near10 (merg\$3 stitch\$3 combin\$3 synthesiz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L152	2	"20010032041".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L153	5	382/154.ccls. and 382/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59
L154	8	("6111993" "6470271" "20010024514" "20010055063").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:59